



AIDS TO DAILY LIVING



(A)



(B)

Kitchen Helpers

One Touch Can Opener

Compact, one touch can opener (6½" x 1½"). Place the unit on top of the can, press button and watch it go. No sharp edges. Uses 2 AA batteries.

(A) 047646 Each

Good Grips Hand-Held Jar Opener

Soft rubber grips, won't slip even when wet, stainless steel, dishwasher safe.

Parsons 16K205A

049736 Each

Good Grips Vegetable Peeler

Soft rubber grip that won't slip even when wet. Stainless steel blade, dishwasher safe. *Parsons #16K202A*

049737 Each

Cutting Board

Ideal for people with the use of only one hand. Polyethylene, with stainless spikes to hold food, mounted on 4 suction cups for secure anchoring, white, 1.2 cm (½") high corner guards, 30 cm x 30 cm (12" x 12"). *Parsons #16K013*

(B) 047665 Each

Perching Stool

Steel frame, padded seat and back rest with slip resistant rubber feet. Height is adjustable. Tilting position of the stool makes it easier on the user's hips when standing up. Angled seat comfortably supports the user's weight during tasks such as food preparation, ironing or hobbies. Size 6" x 12" (15 x 30 cm), 20"/51 cm between arm rests. Assembly required. *Parsons 20H026*

061931 Each

Combination Cutting Board with Knife

Cutting board and attached chef knife that can be used in a chopping motion, knife is removable for cleaning and sharpening, board is mounted on four suction cups, 40 cm x 30 cm (12" x 12").

Parsons #16K016

047666 Each

Stand-Up Dustpan and Broom

Painted metal handles, flexible rubber leading edge, pan pivots upwards when lifted off the floor and lid closes to prevent spillage, broom fits into pocket on pan when not in use, 39" tall when in use, 2 lbs. *Parsons 16K045A*

049739 Each



Kitchen Helpers

Pot Holder

Latex-free, folding pot holder, aluminum with suction cup feet, holds a 2 qt pan and is adjustable, 7½" in diameter, keeps the pan from turning when cooking. *Sammons Preston #C3010*

(A) 050699 Each

Shopping Cart

4-wheels, non-swiveling, 17" x 21" x 13", handle height 38", painted steel frame, folds for storage. *Parsons #16H210A*

(B) 054066 Each

Liner for Shopping Cart

For 4-wheel shopping cart SAP #054066, waterproof, blue. *Parsons #16H211*

054067 Each

Stove Knob Turner

Lightweight aluminum rod used to reach over pots or to turn stove knobs, 15" long. *Parsons 16K023*

(C) 049740 Each

Tableware & Accessories

Round Scoop Dish

Latex-free, extra thick melamine plastic, with reinforced rim and base, grooved lip, non-skid bottom, sloped at front for easy use, great for those with use of only one hand, dishwasher and microwave safe, white, 23 cm (9"). *Parsons #16T115*

(D) 047705 Each

Nosey Cup

Latex-free, elegant design, clear blue plastic, cut-away rim for minimal neck tilt, wide base, pedestal with rounded bottom, designed for poor grip, microwave and dishwasher safe, 8 oz. *Parsons #16T145*

(E) 047681 Each

Dycem Roll Matting

Latex-free, non-slip, cut-to-fit, use to prevent slipping of cups, plates, cutlery, telephones, medical equipment, etc. wash to maintain, non-slip properties, 8" x 6½" Dycem roll. *Parsons #16T606A*

(F) 047682 Each

Tableware & Accessories

Adult Bib

Latex-free, jumbo food catchers, 18" W x 30" L, terrycloth food catcher with adjustable Velcro closure, large neck opening for comfort, food catcher is 90% cotton and 10% polyester, machine washable, 3/pkg.

(A) 046433 Package

Disposable Food Catcher

Latex-free, convenient, lightweight, throw-away clothes protector, tie behind the neck, adult size, 18" L x 16" W with 4" through at bottom. *Sammons Preston C1381*

048695 Each

Waterproof Clothing Protector

Latex-free, to protect lap-to-neck spills, front Velcro fastener, polyester/cotton, lined with 100% waterproof nylon, 20" W x 36" L, machine wash and dry. *Sammons Preston C9205-54*

(B) 049752 Each

Utensils

Comfort Grip Cutlery

Cutlery set, straight. Latex-free, soft vinyl coating with finger indentations $\frac{7}{8}$ " W, dishwasher safe, weight approximately 85 g (3 oz). Includes: one each of knife, fork, soup spoon and teaspoon. *Parsons #16T090*

(C) 047717 Each

Featherlike Cutlery

Cutlery set, straight. Very light weight, 1" diameter handle, slightly tapered and textured to enable easy grip, sealed to prevent water seepage, dishwasher safe, 48 g (1.7 oz). Includes one each of knife, fork, soup spoon and teaspoon. *Parsons #16T090-2*

(D) 047798 Each

Weighted Cutlery

Cutlery set, straight. Latex-free, reduces hand tremors, comfort grip, 226 g (8 oz). Includes one each of knife, fork, soup spoon and teaspoon. *Parsons #16T090*

(E) 047758 Each





Utensil Accessories

Cutlery Foam Tubing

Latex-free, blue, cylindrical closed cell foam padding, cut as needed to build up handles of utensils, dishwasher safe up to 180°, inside hole $\frac{3}{8}$ ", outside diameter 1 $\frac{1}{2}$ ".
Sammons Preston #C6252

(A) 047736 Each

Shower Aids

Hand-Held Shower

Lightweight, full spray with push button to pause water flow to a trickle. Features 2 adhesive or optional screw mounted wall mounts, 84" chrome hose. Sammons Preston #6234

(B) 048694 Each

21" Long-Handled Sponge

For personal cleansing or cleaning, rectangular sponge, epoxy-coated aluminum with vinyl hand grips, lightweight, handle length 53 cm (21").

Parsons #16B122

(C) 047724 Each

30" Long-Handled Sponge

Extra long handle helps to clean without stretching or bending, rectangular sponge, epoxy-coated aluminum with vinyl hand grips, handle length 76 cm (30"). Parsons #16B125

(D) 047725 Each

Bath Mats

Full Length Bath Mat

Provides safety and comfort for the whole length of tub, soft and pliable rubber, anti-slip textured and contoured surface provides natural suction to tub, 41 cm x 104 cm (16" x 41"). Parsons #16B084

(E) 046805 Each

Bath Mat

Mould and mildew resistant, soft and pliable rubber textured surface, anti-slip with suction cups, easy drainage, washable, 76 cm x 35 cm (30" x 13 $\frac{3}{4}$ ").


Sammons Preston #CAA18-04A

(F) 046804 Each

Textured Safety Strip

Pull-and-stick strips easily secure to tub's floor for a safe non-slip surface, white, approximate size $\frac{3}{4}$ " x 17". Sammons Preston #CA830-600

(G) 047734 Each



Commode Chairs

Ocean Standard Commode

The Ocean Commode is a multi-functional stainless steel Ocean with maximum adjustability. It can be used as a commode chair, shower chair or bedside commode. The rust-proof frame also makes this unit ideal for pool-use. The Ocean has a seat height adjustment range of 5" so that it will fit over most toilets. Commode pan with lid included. Tool-free seat height adjustment range of 5" to fit over most toilets, tension adjustable backrest is machine washable Removable height-adjustable swing-away footrests with adjustable heel loops and four 5" casters with wheel & swivel locking mechanism, ergonomically designed flip-up armrests and "knock-down" concept for easy transport and travel, soft seat sold separately. Seat depth 18", seat width 19", seat to floor height 19" - 24", overall width 22", overall length 36½", recline angle 0° anterior tilt, 5° posterior tilt, product weight 32 lbs, product weight capacity 330 lbs.

(A) 063710 Each

Ocean VIP Tilting Commode

The Aquatec Ocean VIP is a tilt-in-space shower commode that has a stainless steel frame and provides plenty of sophisticated details, like the effortless height adjustment and the advanced tilting function. This shower commode chair addresses pediatric or adult clients. The capability for multiple adjustments is a very important feature as it accommodates the growth of a pediatric client and the changing needs of an adult user. Height adjustable in three steps, no tools necessary, stainless Steel frame and parts are completely corrosion free, stable and durable tilting mechanism with two stainless steel gas springs, range 0 degrees to 35 degrees, high-quality castors with a swivel lock and a directional lock on one rear castor, making it easy to maneuver. blow mould seat for high comfort, all components have smooth surfaces and are easily detachable for cleaning without use of tools. Seat depth 18", seat width 19½", seat to floor height 19½" - 23½", overall width 22½", overall length 41½", back height 21", clearance 12½"- 15½" under the seat pan, recline angle 0-35 degrees, product weight 47½ lbs, product weight capacity 332 lbs.

(B) 063711 Each

Commode Chair Accessories

Action Gel Commode Pad

16" x 16" x ¾" closed front, Action® Commode Chair Pad provides comfort and relief from pressure and shear. Hook & Loop make the product easy to attach, use and maintain. *Com1616*

(C) 063923 Each

Action Gel Commode Pad

18" x 18" x 1" open front Hook & Loop make the product easy to attach, use and maintain.

(D) 063924 Each

Action Gel Adaptive Pad

18" x 18" x ½" Action's Adaptive Pads have multifunctional applications for traditional and non-traditional seating challenges. Pads can be cut up and used for spot protection on products such as arm pads, foot plates, head/leg rests and splint/braces. When used as a cushion the Adaptive Pad is intended for comfort only, not medical intervention. Note: If ½" and ¾" are used for a seating cushion, pad must be used with an Action® brand cover for warranty to be in force.

063925 Each

Cover for Action Gel Adaptive Pad

18" x 18" x ¾" This Basic Cover is for all Action® polymer gel adaptive pads. The black ponte fabric has a non-skid bottom and opens on three sides with a ring zipper for easy opening and closing. It is CAL133 approved, machine washable and tumble dry. It fits the flat, pebble, or cube pads.

063926 Each



Bath Seats

Bath/Shower Seat, I-Fit with Back

Shower chair, I-Fit, tool-less assembly, 18" x 20" seating surface, large flanged rubber tips, 15"-21" seat adjustments, and built-in numbering system to keep all legs level, weight capacity: 400 lbs.

Invacare 9781

(A) 050695 Each

Bath Seat with Back, Suction Cup Feet

Aluminum frame, suction cup feet, right or left hand holder for shower hose, blow moulded plastic seat with drainage holes, weight capacity of 250 lbs, adjustable seat height 14" to 20", 19½" L x 16½" W.

Dana Douglas #1465

046807 Each

Bath Seat without Back, Rubber Tip Feet – I-Fit

No suction feet, 18" x 20" seating surface, tool-less assembly, plastic legs with twist height adjustment and built in numbering system, large rubber tips for security, height adjustable from 15"-21", weight capacity: 400 lb. *Invacare 9780*

(B) 047192 Each



Bath Seat without Back, Suction Cup Feet

Aluminum frame, suction cup feet, right or left hand holder for shower hose, optional right or left hand red handle (SAP 046812), blow moulded plastic seat with drainage holes weight capacity of 250 lbs, adjustable seat height 14" to 20", 19½" L x 16½" W, *Dana Douglas #1460*

046811 Each

Reclining Bath Chair

SPECIAL ORDER

Provides trunk support, adjusted seat back tilts from 30 to 70 degrees, pelvic belt, lightweight, rustproof frame, rip-proof mesh fabric, oversized rubber feet, fits all standard tubs, sits 2"-4" from the bottom of the tub. *Columbia*

Small, up to 45.5 kgs (100 lbs) #8500

(C) 046842 Each

Medium, up to 59 kgs (130 lbs) #8600

046843 Each

Large, up to 85 kgs (180 lbs) #8700

046844 Each





Bath Lift

Bath Lift

Reclines 10-40 degrees, includes battery, charger, cover mats, suction cups and a hand control, lateral back support, seat depth 19", seat width 15", back height 26", washable cover mats, 300 lbs. *Aquatec "R" #1471565*

054064 Each

Raised Toilet Seats

Raised Toilet Seat

Lightweight, easy fitting and removing, secures firmly with two L-shaped brackets (included), front and rear cutouts for easy personal cleaning, all-plastic, smooth, contoured surface, slightly sloped toward the front to help getting on and off, deep splash guard to minimize accidents, easily adjusts to fit most sizes and shapes of toilets, supports up to 420 lbs. *Savannah*

2", 15 $\frac{3}{4}$ " L x 16 $\frac{1}{4}$ " W x 2" W at front.
#CAA2112

(A) 046871 Each

4", 15 $\frac{3}{4}$ " L x 16 $\frac{1}{4}$ " W x 4" W at front.
#CAA2114

046873 Each

6", 15 $\frac{3}{4}$ " L x 16 $\frac{1}{4}$ " W x 6" W at front.
#CAA2116

046874 Each

Raised Toilet Seat with Arms

Raised 5" high, front locking mechanism for easy installation, rear anchoring system for maximum stability, comfortable padded arm supports well positioned to assist in lowering and raising, seat dimensions 16 $\frac{1}{2}$ " x 15", width between arms 19 $\frac{1}{2}$ ", weight capacity 300 lbs. *Dana Douglas #1645*

051042 Each

Toilet Seat, Raised 3"

Lightweight and easily portable, adjustable twist and lock clamps locks securely to most sizes and shapes of toilets, moulded plastic, no assembly required, 250 lb capacity, 3" H x 15" W x 16 $\frac{1}{2}$ " D. *Professional Care Products #7019*

(B) 047825 Each

Adjustable Toilet Frame


Attaches under the toilet seat, height adjusts from 25.5" – 31", weight capacity 300 lb. *Parsons #16b242a, Sammons Preston (Carex) #CA924-18, Versaframe #1302*

(C) 048699 Each

Toilet Aid – Buckingham Easy Wipe

 15" long, rounded soft smooth design, latex-free ergonomic shape for people with limited dexterity. Simple uncomplicated mechanism grips toilet tissue firmly and releases it cleanly – no need to touch tissue after wiping, works equally well with wet wipes, carrying case included. *Parsons #16B082A*

(D) 062423 Each



Grab Bars

Note: Grab bar and transfer pole orders installed by MDA require a completed Grab Bar & Transfer Pole Installation Fax Form. For indoor use only.

Left-Angle Grab Bars

Left-hand side, 16" x 24", 1" diameter, knurled for a sure grip and triple plated, bars are 1.5" (4 cm) from wall, left hand grab bars form an "L" shape when mounted, adjustable flanges for easy installation. *Parsons #16B136A-2*

050696 Each

Right-Angle Grab Bars

Right-hand side, 16" x 24", 1" diameter, knurled for a sure grip and triple plated, bars are 1.5" (4 cm) from the wall, right hand grab bars form a backwards L shape when mounted, adjustable flanges for easy installation. *Parsons #16B138A-2*

(A) 050697 Each

Grab Bars

Curled bar for grip, 11 gauge steel, bar diameter 1½" and 1½" wall clearance. *Parsons*

12" Long. #16B130A
047194 Each

16" Long. #16B131A
047195 Each

18" Long. #16B132A
(B) 047196 Each


24" Long. #16B134A
047197 Each

32" Long. #16B135A
047198 Each


Clamp-On Grab Bar

LATEX Latex-free, clamps on tub, tool-free installation, padded clamps to protect tub surface, bi-level hand grip, height above tub wall 13½". *Dana Douglas #1250*

(C) 047193 Each



(C)



(A)



(B)



(C)

Mattress Accessories

Foam Overlay

For hospital bed, convoluted foam designed for the prevention of skin breakdown, non-allergenic, increase air circulation beneath the patient, reduces moisture build-up and evenly disperses body heat, reduced burn rate foam, 33" W x 76" L x 3" H. *Vitacare 1203*

(A) 049753 Each

Geo-Matt Foam Overlay

Anti-shearing geo-matt surface configured with over 800 individually responsive cells, ring of air channels minimize heat and moisture. *Span America*

Double – 52" W x 72" L x 3.5" H.

#SP760-000

050692 Each

Queen – 58" W x 75" L x 3.5" H.

#SP761-000

050693 Each

Zippered Mattress Protector

Completely encloses mattress in white vinyl with durable plastic zipper, non-irritating surface, wipes clean. *AMG*

Twin – 39" x 76". #745-450

(B) 049690 Each

Double – 54" x 76". #745-455

054364 Each

Queen – 60" x 80". #745-460

054365 Each

King – 78" x 80". #745-465

054373 Each

Contour Mattress Protector

Elastic fit corners to keep securely in place, white vinyl, non-irritating surface, wipes clean easily. *AMG*

Twin – 39" x 76"

(C) 045655 Each

Double – 54" x 76"

045656 Each



Bed Accessories

Bedside Rail, Arcorail

Universal, height adjustable, light-weight, handle rotates 360°, no tools required to attach, fits queen, double, twin, single beds, 225 lb weight capacity. **Cannot be used on MDA hospital beds 000562, 064002 and 045581.** Parsons #16H190A
(A) 047706 Each

Bed Wedges, 10"

Pillowcase included, for head, back or leg elevation, 24" x 24". Parsons

10" High, 23° angle. #18H022A

(B) 047814 Each

12" High, 27° angle. #18H024A

047815 Each

7" High, 15° angle. #18H020A

047813 Each

Geo-Matt Bed Wedge

Flame retardant foam, segmented surface provides pressure dispersion while supporting trunk at a 30 degree angle, can be used to support arm or leg in side lying or at the foot of the bed to prevent sliding in supine or gatched position, 7 $\frac{3}{8}$ " x 11 $\frac{5}{8}$ " x 20". Span America #50960-301
(C) 053921 Each

M-Rail

Handrail. Ergonomically provides optimal hand positioning making the task of getting out of bed easier and more comfortable. The unique contour and non-slip foam of the handrail reduces the chance of injury while promoting safety. No tools required. Height 17" (43 cm). Width 18" (46 cm). Length under bed 38" (97 cm). Weight capacity 250 lb. (115kg). Parsons 16H189A

060369 Each

Personal Use Accessories

Table Top Nail Clipper

Unique suction cup base allows for one hand use, for persons with poor dexterity, attached strip of filing paper, secure to table top with suction cups. Parsons #16G015

(D) 047703 Each



(A)



(B)



(D)



(E)



(C)



(F)



(G)

Lift Accessories

Leg Lift Straps

35" long, 6½" loop on each end, centre section has rigid aluminum slat inside, made of 2" webbing for comfort. *Parsons 16D045*

(A) 051045 Each

Dressing Aids

Deluxe Button Hook

Great for people with poor dexterity or with only one hand to do up buttons. Large handle with Comfort Grips. *Parsons #16D021*

(B) 047645 Each

Plastic Shoehorn

Avoid bending to put on shoes! Durable and lightweight with hang up hole, 18" L x ½" W. *Sammons Preston #CA715-3*

(C) 047711 Each

Elastic Shoelaces

Tylastic heavy-duty laces allow shoes to be pre-tied and slipped on and off. *Sammons Preston*

26", white. #C9203-09

(D) 047713 Pair

26", black. #C9203-07

(E) 047714 Pair

Dressing Stick with Shoe Horn

Latex-free, push/pull S-hook at one end and long handled shoe horn at the other end, closed cell foam grip along entire handle, 5 oz weight, 24" L. *DressEZ Sammons Preston #C2102*

(F) 047726 Each

Dressing Stick with Zipper-Pull

Hook at one end and a zipper-pull at the other end, wooden shaft, 26" L. *Sammons Preston #CA698-3*

(G) 047727 Each



Dressing Aids

Flexible Stocking Aid

Flexible with nylon webbing straps, curved shape holds stocking on the aid while pulling up the leg, 9½" L x 4½" W. *Sammons Preston #C2086*

(A) 047729 Each

Folding Sock Aid

Double hinged blade allows wings to fold, centre panel has raised pebbled slide strip to reduce friction, outside edges have large bead running around them to protect stockings, wide web strap pulls, tip can be used as a long shoehorn. *Parsons 16D030*

049733 Each

Stocking Aid

Latex-free, folding, covered with non-slip terry towel, two 28½" loop handles, nylon coated. *Sammons #5670-56*

(B) 054063 Each

Personal Comfort Aids

Electric Heating Pad

Three heat settings, removable washable cover, 12" x 15". *Sunbeam #756-505*

(C) 045661 Each

Wheelchair Gloves

Latex-free, half-finger, open mesh back, elastomer padded palm with no-slip grip, absorbs shock, vibration and pressure, Velcro wrist straps, colour tan. *Parsons*

Small. #16C017AS

047692 Pair

Medium. #16C017AM

(D) 047693 Pair

Large. #16C017AL

047694 Pair

Miscellaneous Home Aids

Furniture Risers

Sturdy blocks made of multi-laminated plywood, 5" square.

3" to 6" height. *Parsons #16H182A*

(E) 047707 Each

2" to 3" height. *Parsons #16H182-2*

059571

Canes, Crutches & Accessories

Standard Handle Cane

Adjustable 28½" - 38", standard handle, aluminium, weight capacity 250 lbs.

(A) 048211 Each

Heavy-Duty Cane

With offset handle, adjustable, 27¾", comfort grip, 500 lb weight capacity.

(B) 054065 Each

Adjustable Cane

Round foam handle, built-in ice pick, bronze colour, rust-proof anodized aluminum, no-slip rubber tip, adjustable 30"-39", 250 lb weight capacity.

(C) 049831 Each

Cleats for Ice Canes

Ice-O-Grip pick attachments make walking on ice and snow safer, fits all standard canes and crutches. Star tip.

Does not fit MDA quad canes. AMG

045608 Each

Bariatric Crutch

Two button folding crutch, contoured underarm design, push button height adjustment, weight capacity 1000 lbs. *Invacare*

For patients 5'2"-5'10", adjustable 44"-52".

(D) 054366 Each

For patients 5'10"-6'6", adjustable 52"-60".

054381 Each

Adult Aluminium Crutches

Adjustable, high density rubber cushions and hand grips, adjusts in 1" increments.

Fits 5'1"-5'9" tall.

(E) 048693 Pair

Fits 5'10"-6'6" tall.

039119 Pair

Quad Cane, K Shape Base

K-shaped quad base provides greater stability. Cushion-top conforms to hand and helps reduce impact shock transfer. 5' - 6'5", adjustable 28" - 39", 300 lb. weight capacity.

045604 Each



(A)




(B)



(C)



(D)



(E)



Canes, Crutches & Accessories

Forearm Crutches

Adjustable, vinyl coated tapered 3½" arm cuff, pivoting cuff brackets and contoured vinyl handgrips, cuff distance is 9½" - 11" weight capacity 300 lbs.

For adults 5'0" - 6'2".

051009 Each

For adults 5'0" - 6'6".

051010 Each

Platform Attachment for Crutches

Adjustable, permits exact angle fitting to meet user's needs, can be used on the left or right hand without removing from the crutch, one has adjustable strap, accommodates the smallest forearm up to large casted arm.

054370 Each

Folding Walkers

Dual-Folding Pick-Up Walker

Dual-folding aluminium frame reinforced with chrome plated steel, 1" tubing, height adjusts from 34" - 38", adult size, fits 5'4" - 6'2", weight capacity 300 lbs.

Guardian C6123-02

(A) 046735 Each

2-Wheeled Folding Walker with Glide Tips

Junior size, dual release with 3" fixed wheels, features wide deep frames with more height adjustments for enhanced leg room, ergonomic folding mechanisms open and close more easily. Redesigned anti-rattle silencers make the walker quieter, width between handles 17", height adjustments 26" - 32", for patients height 4'4" - 5'7", weight capacity 300 lbs.

Invacare #6291-JR3F

(B) 054368 Each

Walkers

2-Wheeled Walker

Dual release, anti-rattle silencer, glide tips, PVC hand grips, composite lower side brace for added stability, folding mechanisms easy to reach from a seated position, large range of height adjustments. *Invacare*

3" fixed wheels, heights adjustment 32"-38" (fits users 5'4"-6'4"), inside width 21.5", weight capacity 300 lbs.

(C) 046734 Each

5" fixed wheels, heights adjustment 33"-39" (fits users 5'6"-6'6"), inside width 21.5", weight capacity 300 lbs.

062424 Each



Walkers

Bariatric Walker

Two button folding, adjustable 32" - 39", inside width between hand grips 20", comes equipped with dual release buttons, lightweight, reinforced aluminum frame with dual cross bracing, for patients 5'3" - 6'10", weight capacity 500 lbs. *Guardian #30753B*

(A) 054367 Each

Wheels for Bariatric Walkers

5" fixed, two wheels/attachment, provides smooth ride on a variety of surfaces, only for use with walker SAP #054367.

Guardian #7722-8B

054382 Each



Anterior Safety Bariatric Walker

Welded steel frame, height adjustable in 1" increments from 29" - 36", width adjustable 33½" - 27½", width between handlebars 17½" x 22½", adjustable spring brake tension, skid resistant, non-marring, neoprene wheels, weight capacity 1000 lbs. *Sammons #1762XL*

054379 Each

Dana Douglas 4-Wheeled Walker

Indoor use, 8" wheels, lightweight aluminium, 12 lbs, "push-to-lock" braking system, seat and basket, overall width 23½", overall length 24", distance between handles 17½", distance between rear wheels 19¾", seat height 21¾", seat size 12" x 12", adjustable handle heights 32½" - 37", weight capacity 250 lbs. *Dana Douglas 4200DX Low 42022X*

(B) 046733 Each

Dana Douglas, 4200WX Super Low/Wide Walker

For indoor/outdoor use. Deluxe 8" wheels for easy handling. Comes complete with basket and detachable, built-in padded seat for extra comfort. Overall width: 27", overall length: 24", distance between handles: 20.5", distance between rear wheels: 20.5", seat height: 19", seat size: 19" x 12.5", adjustable handle heights: 30.5 - 35", braking system: push to lock, weight capacity: 350 lbs. *Dana Douglas #4215184*

(C) 061900 Each

Dana Douglas, 4200DX Super-Low Model, 4-Wheeled Walker

8" wheels, steel frame and basket with baked enamel coating handles and backrest, wheels are made of elastomere with non-corrosive aluminum parts, overall width: 22½", overall length: 24", distance between handles: 16½", distance between rear wheels: 18¾", seat height: 18¾", seat size: 12" x 12", adjustable handle heights: 30" - 34", braking system: push-to-lock, weight capacity: 250 lb.

Dana Douglas #420518

(D) 048678 Each

Dana Douglas, 4200 SWX Series Walker

4-wheeled, low model, 8" wheels, lightweight aluminum comes with an extra-wide detachable padded seat and basket, push-to-lock braking system, overall width 27", overall length 27", distance between handles 24", distance between rear wheels 22½", seat height 22", seat size 21½" x 14" adjustable handle heights 30½" - 36½", weight capacity 500 lbs. *Dana Douglas #4220223*

051033 Each



SELECTING THE IDEAL WALKER

HEIGHT: All walkers come in standard low or tall models. Each can be adjusted to meet your client's needs.

WEIGHT: All walkers have different weight capacities. Please choose the one that is over your client's weight.

INDOOR OR OUTDOOR USE: Most walkers have different sized wheels. Ideally, bigger wheels are for outdoor use.

BASKET PLACEMENT: Walkers with baskets lower to the ground are mainly used for clients who have an oxygen tank.

Walkers

Dana Douglas, 4200 WX, Low/Wide, 4-Wheeled Walker

For indoor/outdoor use, deluxe 8" wheels for easy handling, comes complete with basket and seat, overall width: 27", distance between handles 20.5", seat height: 22.5", adjustable handle heights: 34.5" - 38.5", weight capacity 350 lbs.

062422 Each

Dolomite, Legacy-Low, 4-Wheeled Walker

Steel frame, flip up seat for greater reach access or gait training, unique frame design for handles facing forward to promote better posture, patented brake system with adjustable tension, and adjustable back support. Overall width: 23", overall length: 26", distance between handles: 17", distance between rear wheels: 19", seat height: 22", adjustable handle heights: 31" - 34", weight capacity: 275 lbs. *Dolomite #12052-37-86*

061935 Each

Dolomite, Legacy-Standard, 4-Wheeled Walker

Steel frame, overall width 23", overall length: 26", distance between handles: 17", distance between rear wheels: 19", seat height: 24", minimum-maximum handle height: 37", weight capacity 275 lb. Flip up seat for greater reach access or gait training, unique frame design with handles facing forward to promote better posture, patented brake system with adjustable tension, large 8" slim wheels with superior bearings, basket and adjustable back support included. *Dolomite*

(A) 048689 Each

Dolomite, Symphony-Standard, 4-Wheeled Walker

Aluminum frame, lightweight, overall width: 23", overall length: 27½" distance between handles 17", distance between rear wheels: 18½", seat height: 24½", minimum-maximum handle height: 30" - 36", weight capacity: 275 lb, flip-up seat for greater reach access or gait training, Dolomite advanced brake system (dabs ii), infinite handle height and angle adjustments, basket and adjustable back support included. *Dolomite*

(B) 048691 Each



Walkers

Dolomite, Symphony-Standard, 4-Wheeled Walker – Low

Aluminum frame, lightweight, overall width: 23", overall length: 24½", distance between handles 17", distance between rear wheels: 18½", seat height: 21½", minimum-maximum handle height: 27¾" - 33¾", weight capacity: 275 lb, flip-up seat for greater reach access or gait training, Dolomite advanced brake system. Infinite handle height and angle adjustments, basket and adjustable back support included. *Dolomite #12161*

(A) 062401 Each

Dolomite, Maxi + 4-Wheeled Walker

Extra-wide, steel frame, overall width: 27.25", overall length: 25.5", distance between handles: 20½", distance between rear wheels: 21½", seat height: 22", minimum-maximum handle height: 32" - 38", weight capacity: 440 lb, reinforced frame, extra wide between handles, handle height 29" - 35", anatomical handles, dolomite advanced brake system (dabs ii), basket and adjustable back support included, for indoor or outdoor use. *Dolomite*

(B) 048690 Each

Nexus III Walker – Standard Model

Standard model 4-wheeled walker for indoor-outdoor use. Has 8" wheels, lightweight aluminum "X" frame design that can be folded side to side, cable free braking system, solid padded seat, padded back strap, and soft bag. Overall width: 24", overall length: 27.5", distance between handles: 17.5", distance between rear wheels: 18.5", seat height: 24", Seat size: 16" X 9.5", adjustable handle heights: 32.5" - 36.5", braking system: push to lock, weight capacity 330 lbs. *Dana Douglas #4500245*

061933 Each

Nexus III Walker – Low Model

4-wheeled walker, low model, for indoor/outdoor use, 8" wheels, lightweight aluminum, has "X" frame design which allows for it to be folded side to side, has cable free braking system, solid padded seat, padded back strap, soft bag, overall width 24", overall length 27", distance between handles 17½" distance between rear wheels 18½", seat height 21", seat size 16" x 9½" adjustable handle heights 29½" - 33½", weight capacity 330 lbs. *Dana Douglas #4500225*

(C) 051034 Each

Nexus III Walker – Super Low Model

Standard model 4-wheeled walker for indoor-outdoor use. Has 8" wheels, lightweight aluminum "X" frame design that can be folded side to side, cable free braking system, solid padded seat, padded back strap, and soft bag. Overall width: 24", overall length: 26", distance between handles: 17.5", distance between rear wheels: 18.5", seat height: 18.5", Seat size: 16" x 9.5", adjustable handle heights: 27.5" - 30.5", braking system: push to lock, weight capacity 330 lbs. *Dana Douglas #450018*

061934 Each



(A)



(B)



(C)



(D)



(E)

Walker Accessories

Basket for Walker

Two-wheeled or pick-up, plastic coated wire, secures to most walkers with hook and loop fasteners, complete with clear plastic tray bottom liner and cup holder recess, 40 cm W x 15 cm H x 18 cm D (16" W x 6" H x 7" D). *Parsons #14a110, Sammons Preston #c6813*

(A) 047624 Each

Platform Attachment for Walkers

Adjusts quickly and easily without tools for different user settings. High-strength anodized aluminum tubing provides a stable and durable attachment base. Flexible open-cell foam handle provides soft easy-grip surface and reduces strain on the hands. Fits all Invacare walkers except model 6291-HDA. *Invacare #6027*

054369 Each

Reachers

24" Reacher

Homecraft standard handi-reacher, hand trigger, slip-resistant jaws, magnetic tip, dressing hook. *Parsons AA8054Y*

(B) 049703 Each

26" Reacher

26" L, weighs 6 oz, magnetic tip, lightweight aluminium, rustproof and waterproof.

Parsons #16H040

046737 Each

32" Reacher

32" L, weighs 8 oz, magnetic tip, lightweight aluminium, rustproof and waterproof.

Parsons #16H041

(C) 046736 Each

40" Reacher

Full-hand trigger, lightweight aluminum, rustproof and waterproof, flexible rubber tip. *Parsons 16H349A*

(D) 049704 Each

E-Z Reacher, Locking Jaw

Latex-free, 30" L, full hand trigger, lightweight aluminum, rustproof and waterproof, flexible rubber tip. *Parsons 16H350A*

(E) 046738 Each

Transfer Sliders

Maxi Slide Transfer Sheet

Sliding system provides low friction transfer, 33" x 78³/₄", purple.

051501 Each

Maxi Transfer Tube

Easy to use lateral slide transfer device, 23" x 17", orange.

051658 Each

Transfer Sheet

Constructed like a tube, lightweight fabric, single bed size, ergonomic handles enables low friction transfer, bacteria resistant, machine washable, colour blue. *Arjo (maxitransfer) #NSA00700*

049779 Each

Transfer Aids

Note: Grab bar and transfer pole orders installed by MDA require a completed Grab Bar & Transfer Pole Installation Fax Form. The form is located on pages 219-220 of this catalogue.

Transfer Belt

4" W, with quick release buckle and six handles, washable. *Sunnyfield*

Small, waist size 22" - 35".

047752 Each

Medium, waist size 26" - 46".

(A) 047753 Each

Large, waist size 32" - 54".

047754 Each

X-Large, waist size 35" - 62".

047755 Each

Advantage Rail

Floor mounted support rail, pivoting and locking, maximum support, Advantage Rail, all-steel construction, durable enamel finish, adjustable height, pivoting and locking horizontal bar, 17" long rail with premium grey grip, bar height: five settings between 30" - 38", locking 8 positions at 45°, weight capacity: 250 lb. *AR-T HealthCraft*

049705 Each

Super Pole

Basic, modular support system, can be installed in minutes with basic tools by simple jackscrew, used to assist standing, transferring or moving in bed, to accommodate ceiling height from 93" - 100" with optimal uni-fit extender, weight capacity 250 lb. *Sammons Preston #c5526-68, Parsons #16h250a*

(B) 048697 Each

Heavy-Duty Super Pole

Designed for those requiring assistance for safe standing or transferring, vertical pole is a secure structure that can be installed between a floor and ceiling, fits ceiling height for 93" - 100", weight capacity 450 lb. *SPB-HD Homecraft*

049741 Each



(A)

(B)





(A)

Transfer Aids

Arm Support for Super Pole System

To be used with SAP - 048697 and SAP - 049741, horizontal pivoting and locking bar that mounts to Super Poles, lock every 45 degrees to assist with standing or sitting, automatically locks when released preventing forward or lateral falls, heavy-gauge steel, 1.5" diameter. *Homecraft SPB-AK*

051043 Each

Extender for Super Pole – Uni-fit

Increase the floor to ceiling range on the Super Pole. The extension tube installs between the pole and the top plate to increase the height range from 93" - 99", to 100" - 120"

059416 Each

Transfer Benches



Heavy-Duty Transfer Bench

One piece blow-moulded seat, non-slip seat with drain holes, aluminum frame, reversible backrest accommodates right or left transfers, non-slip rubber tips, arm rail for support, seat to floor height 18" - 22", seat depth 18", weight capacity 400 lbs.

(A) 046831 Each



(B)



Padded Transfer Bench

Aluminum frame, reversible backrest accommodates left or right transfers, height adjustable ½" increments, rubber feet, weight capacity: 300 lb, seat depth: 16", seat width: 23", seat to floor height: 17½" - 22".

(B) 048696 Each



(C)

Transfer Bench, Careguard

Anodized rust-resistant aluminum frame, three-piece blow-molded seat, arm rails for support, non-marring rubber tips, suction cups, and half-inch increments for adjustments. Seat to floor height: 18"-22", seat depth: 13.5", seat width: 27", weight capacity 315 lbs.

(C) 046832 Each



Transfer Benches

Modular Transfer Bench

The bench comes with a small bath seat with 2 legs. The large bath seat with a back can be removed in order to close a shower curtain or door. It has easy-install interlocking parts and ergonomically placed drainage holes for continual water drainage. Seat to floor height: 15"-21", seat depth: 16.25", seat width: 30.5", weight capacity 250 lbs.

Dana Douglas DDM #1475

060714 Each

Bath Board

Transfer Bath Board

Extra-wide seat, red handle (not included) for more stability, built in soap rest with ergonomically positioned drainage holes and a left or right hand holder for hand held shower hose, anti-slip rubber pads to improve safety and minimize damage to bathtub surface, easily adjustable.

Seat: 31½" x 14¾", fits bathtub widths: 18" - 28½", weight capacity: 250 lb. #1495

Dana Douglas

049751 Each

Amputee Boards

SPECIAL ORDER

Knighthawk Amputee Board

Super-lightweight construction, ultra-thin design, made of multi-laminate wood, adjustable stump pad that moves from 0"-11" long, carry strap front with tie down at back. *Knighthawk*

16" W x 16" D. #089-11801616

047612 Each

16" W x 18" D. #089-11801618

049774 Each

16" W x 20" D. #089-11801620

047615 Each

18" W x 16" D. #089-11801816

049775 Each

18" W x 18" D. #089-11801818

049776 Each

20" W x 18" D. #089-11802018

(A) 049777 Each

Stump Cushions

SPECIAL ORDER

Stump Cushion

To be used with Knighthawk amputee board (above), comes with zip-off cover.

2". #089-1182

049772 Each

3". #089-1183

(B) 049773 Each